




## BEARING de Mexico?S.A.

130 mm x 230 mm x 80 mm SKF  
23226-2CS5K/VT143 Bearing spherical bearings

Bearing No. 23226-2CS5K/VT143



23226-2CS5K/VT143 Bearing 2D drawings and 3D CAD models

Size	230x130x80 mm
Bore Diameter	230 mm
Outer Diameter	130 mm
Width	80 mm
d	130 mm
D	230 mm
B	80 mm
d <sub>2</sub>	147 mm
D <sub>1</sub>	209 mm
b	8.3 mm
K	4.5 mm
r <sub>1,2</sub> - min.	3 mm
d <sub>a</sub> - min.	138 mm
d <sub>a</sub> - max.	147 mm
D <sub>a</sub> - max.	216 mm
r <sub>a</sub> - max.	2.5 mm
Basic dynamic load rating - C	828 kN
Basic static load rating - C <sub>0</sub>	1060 kN
Fatigue load limit - P <sub>u</sub>	104 kN
Limiting speed	530 r/min
Calculation factor - e	0.31
Calculation factor - Y <sub>1</sub>	2.2
Calculation factor - Y <sub>2</sub>	3.3
Calculation factor - Y <sub>0</sub>	2.2



## BEARING de Mexico?S.A.

Category	Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	13.812
EAN	7316573402824
Product Group	B04311
bore diameter:	130 mm
static load capacity:	238000 lbf
outside diameter:	230 mm
maximum rpm (grease):	1300 rpm
overall width:	80 mm
maximum rpm (oil):	1700 rpm
bore type:	Tapered 1:12
cage material:	Steel
outer ring type:	Not Split
seal type:	Nitrile Rubber Seals
internal clearance:	C3
bearing material:	Steel
closure type:	Double Sealed
series:	232
maximum operating temperature:	392 ° F
manufacturer upc number:	7316573402824
dynamic load capacity:	175000 lbf
$d_2$	147 mm
$D_1$	209 mm
$r_{1,2}$ min.	3 mm
$D_a$ max.	216 mm
$r_a$ max.	2.5 mm
Basic dynamic load rating C	828 kN
Basic static load rating $C_0$	1060 kN



## BEARING de Mexico?S.A.

Fatigue load limit $P_u$	104 kN
Calculation factor $e$	0.31
Calculation factor $Y_1$	2.2
Calculation factor $Y_2$	3.3
Calculation factor $Y_0$	2.2
Mass bearing	14 kg